



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/587,058	06/02/2000	Bernhard Schierling	4452-195RE	6846

7590 08/25/2003

Thomas C Pontani Esq  
Cohen Pontani Lieberman & Pavane  
551 Fifth Ave Suite 1210  
New York, NY 10176

EXAMINER
----------

BONCK, RODNEY H

ART UNIT	PAPER NUMBER
----------	--------------

3681

DATE MAILED: 08/25/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

22

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

The amendment filed July 2, 2003 is informal because it does not comply with 37 CFR 1.173. Any amendment to the description and claims in reissue applications must be made in accordance with 37 CFR 1.173. Under 37 CFR 1.173(b)(2), amended claims in a reissue application should include the parenthetical expression "amended", "twice amended", etc. following the claim number and changes relative to the patent must be shown by markings pursuant to paragraph (d) of 37 CFR 1.173. A supplemental paper correcting the amendment is required within a time limit of ONE MONTH. NO EXTENSION OF THIS TIME LIMIT MAY BE GRANTED UNDER 37 CFR 1.136(a) OR (b), but the period for response set in the last Office action may be extended up to a maximum of SIX MONTHS.

Rodney H. Bonck  
Primary Examiner  
Art Unit: 3681